

"PANTA MAX"

Technical Data Sheet:

PROPERTY	UNITS	FIA Specifications		TEST METHODS	TYPICAL VALUE
		Appendix J – Art 252			
		Min.	Max.		
RON	-	95	102	EN-ISO 5164	101,9
MON	-	85	90	EN-ISO 5163	89,5
Density at 15° C	Kg/m ³	720	785	ISO 12185	761
Oxygen	%wt	-	3,7	Elemental analysis	3,67
Nytrogen	mg/Kg	-	2000	ASTM D 5762	<100
Sulphur	mg/Kg	-	10	EN ISO 20846	<10
Lead	mg/l	-	5	ASTM D 3237	<0,3
Manganese	mg/l	-	2	ASTM D3831	<2
Benzene	% vol	-	1	ASTM D 5580	<0,5
Olefins	%vol	-	18	ISO 22854	9,1
Aromatics	%vol	-	35	ISO 22854	34,5
Total di-olefins	%wt	-	1	GC-MS	0
Oxidation Stability	minutes	360		ISO 7536	>400
Reid vapour pressure	kPa	-	80	EN 13016-1	51,7
Distillation :					
Evaporated at 70 °C	%vol	20	52	ISO 3405	29,6
Evaporated at 100 °C	%vol	46	72		60,7
Evaporated at 150 °C	%vol	75	-		96,5
Final Boiling Point	°C	-	210		170,1
Residue	%vol	-	2		1,1
A / F RATIO	-	-	-	Calc.	13,84

PANTA Distribuzione S.p.A

Sede Legale e Amministrativa

S.S. 235 - Km. 47+980 - 26010 Bagnolo Cremasco (CR)
Tel. 0373 235111 - Fax 0373 235156

PANTA Racing

S.S. 235 - Km. 47+980 - 26010 Bagnolo Cremasco (CR)
T. 0373 235111 - E-mail: fuelorder@panta.it

Sedi Operative

Corso Alessandria, 486 - 14100 Asti - T. 0373 235140
Via Luigi Canina, 7 - 15033 Casale Monferrato (AL)
T. 0142 466103 - Fax 0142 466369
E-mail: spedizionipiemonte@panta.it
S.S. 235 - Km. 47+980 - 26010 Bagnolo Cremasco (CR)
T. 0373 235163

Altre Sedi

Via Montefeltro, 4 - 20156 Milano
T. 02 300598200 / 202
Strada Cipata, 79 - 46100 Mantova
T. 0376 378.1
Via Nizza, 262 - 10126 Torino
T. 011 2173337