

## RACING FUEL "PANTA RON 98"

PROPERTY	UNITS	FIA Specifications		TEST METHODS	TYPICAL VALUE
		Appendix J – Art 252			
		Min.	Max.		
RON	-	95	102	EN-ISO 5164	98,2
MON	-	85	90	EN-ISO 5163	88,3
Density at 15° C	kg/m <sup>3</sup>	720	785	ISO 12185	751
Oxygen	%wt	-	3,7	Elemental analysis	2,62
Nitrogen	mg/kg	-	2000	ASTM D 5762	←100
Sulphur	mg/kg	-	10	EN ISO 20846	←10
Lead	mg/l	-	5	ASTM D 3237	←0,3
Manganese	mg/l	-	2	ASTM D3831	←2
Benzene	% vol	-	1	ASTM D 5580	←0,5
Olefins	%vol	-	18	ISO 22854	10,9
Aromatics	%vol	-	35	ISO 22854	33,3
Total di-olefins	%wt	-	1	GC-MS	0
Oxydation Stability	minutes	360	-	ISO 7536	→400
Reid vapour pressure	kPa	-	80	EN 13016-1	53,4
Distillation:					
Evaporated at 70 °C	%vol	20	52	ISO 3405	33,3
Evaporated at 100 °C	%vol	46	72		61,2
Evaporated at 150 °C	%vol	75	-		83,5
Final Boiling Point	°C	-	210		170,1
Residue	%vol	-	2		1,1

### PANTA Distribuzione S.p.A

Sede Legale e Amministrativa  
S.S. 235 - Km. 47+980 - 26010 Bagnolo Cremasco (CR)  
Tel. 0373 235111 - Fax 0373 235156

### PANTA Racing

S.S. 235 - Km. 47+980 - 26010 Bagnolo Cremasco (CR)  
T. 0373 235111 - E-mail: fuelorder@panta.it

### Sedi Operative

Corso Alessandria. 486 - 14100 Asti - T. 0373 235140  
S.S. 235 - Km. 47+980 - 26010 Bagnolo Cremasco (CR)  
T. 0373 235163

### Altre Sedi

Via Montefeltro. 4 - 20156 Milano  
Strada Cipata. 79 - 46100 Mantova  
T. 0376 378.1